

Framery One Work™



The smart and soundproof workstation pod for one person

framery



Framery One Work is a smart and soundproof workstation pod designed for one person and built for long sessions of focused work. It features a full-sized, height-adjustable desk, Class A soundproofing, adaptive ventilation, and versatile lighting — making it the best-equipped private workstation for modern workplaces. With plenty of room inside, Framery One Work gives you a spacious, comfortable environment where you can settle in, focus, and do your best work.

Framery One Work / Product highlights



Workdays that flow with ease

Framery One Work has been purposefully designed to make your workdays flow better. Find and book the pod in advance or on-the-fly from the Framery app. Or step inside and the pod automatically creates a reservation for you. Extend your reservation directly from the pod's touchscreen, or adjust your booking through the app.



Full privacy

The fine-tuned acoustic structure provides A-Class soundproofing that allows the pod to be placed next to workstations without causing noise distractions to the user or to those outside of the pod. And echo-free interior acoustics make the pod a private, comfortable place for work and video calls. Visual privacy films ensure you can stay in the flow without interruptions, even in the heart of a busy office.



Airflow that keeps you fresh

The pod recognizes when it's occupied, senses the temperature and humidity of the surroundings, and triggers adjustments to the airflow accordingly. Enhanced ventilation fully refreshes the air every minute, and ventilation can be easily adjusted through the pod's touchscreen.



Lighting that makes you feel good

Automated dual-lighting sources adapt to your needs, with preset lighting options to choose between work or video modes. Video-optimized lighting helps you shine on video calls. Adjustments can be made quickly and easily through the touchscreen display.

Framery One Work / Tech features



1. A-CLASS SOUNDPROOFING

Guaranteed privacy with an industry-leading Class A speech level reduction of 30dB and one of the industry's top ISO 23351-1 ratings for office phone booths.

2. ADAPTIVE AIRFLOW

The pod senses the surrounding temperature and humidity and adjusts the airflow accordingly. It can also be adjusted manually.

3. AUTOMATIC LIGHTING MODES

The 4000K LED light sources let you seamlessly switch between video and work modes – or make manual adjustments for personalized illumination.

4. 8-INCH TOUCHSCREEN

An intuitive, 8-inch high-resolution touchscreen makes it easy to control pod settings, adjust lighting and airflow, and extend calendar reservations effortlessly.

5. OCCUPANCY LIGHTS

The occupancy lights in the top corners outside the pod indicate the pod's status: green for vacant, yellow for a reservation starting soon, and red for occupied.

6. BUILT-IN 4G CONNECTION

Connected through 4G or Wi-Fi, enabling the smart features and future-proof technology.

7. AUTOMATIC UPDATES

Receive automatic over-the-air (OTA) feature, system, and maintenance updates – available only for connected pods.

8. USAGE DATA

With built-in occupancy sensors, your pod automatically feeds anonymous usage data straight into Framery Connect – giving you actionable insights to continuously optimize your workplace.

9. BOOKABLE PODS

Make your smart pod bookable like any meeting room. The pod's touchscreen will show reservations, and you can manage them on the spot.

10. AUTOMATED WALK-IN RESERVATIONS

Step inside to instantly create a walk-in reservation that syncs with your company calendar.

11. EXTERNAL ROOM PANEL

Add Framery Room Display to the outside of your pod to show upcoming reservations and make on-the-spot bookings.

12. MONITOR STAND

Choose between one or two displays. The monitors are not included.

Framery One Work / Design details

Framery One Work easily fits into any office thanks to its efficient footprint and easy movability. Its spacious interior features a full-sized, electric height-adjustable desk, offering flexibility for every user and seamless transitions between sitting and standing. Optional additional displays make it ideal for long sessions of focused work. Framery One Work is the best-equipped private workstation for modern workplaces, designed to adapt to changing office layouts and needs.




Enjoy a full-sized workstation tailored to your needs. While a sturdy fixed desk is standard, you can upgrade to an electric version for full height-adjustability and to seamlessly transition between sitting and standing for ideal ergonomics.



Choose between multiple screen layout options to optimize your workspace's usability: a wide screen up to 40" or two screens next to each other (up to 27" each) in either landscape or portrait orientation.



Stay fully charged throughout your work session with power outlets, USB-C PD charge ports (140W) and LAN ports.



In addition to industry-leading soundproofing, our privacy films offer smooth visual privacy for uninterrupted work.



The exterior occupancy lights show at a glance whether the pod is available, about to be reserved, or taken.



A wide doorway and low threshold enable an easy entry for wheelchair users in accordance with ADA guidelines.

Framery One Work / Colors and finishes

EXTERIORS



White (Standard)
RAL 9016 Ultramatt



Black (Standard)
RAL 9005 Ultramatt



Gray (Standard)
S 7500 - N Ultramatt



Navy
S 7020 - R90B Ultramatt



Sand
S 2010 - Y20R Ultramatt



Powder Blue
3421-R86B Ultramatt



Winter Moss
S 7010-G10Y Ultramatt



Blush
2728-R01B Ultramatt

CARPETS



Light Gray (Standard)
Fletco carpets



Dark Blue
Fletco carpets



Champagne
Fletco carpets



Grape
Fletco carpets

TABLE TOPS



White (Standard)
White laminate



Black
Black Laminate with
anti-fingerprint surface




Oak Veneer


PRIVACY FILMS



Solid



Line



Grid

INTERIORS



Pure Gray (Standard)
Tonal #60123 Gabriel



Arctic Blue
Tonal #66185 Gabriel



Sand
Tonal #61180 Gabriel




Rouge
Tonal #64210 Gabriel

Design your own
on our website



MATERIALS AND FINISHES



EXTERIOR PANELS made from steel feature a powder-coated matt finish. The lightweight panels are joined together seamlessly, with elegant curves that create a timeless design.



INTERIOR PANELS made from high-quality and recycled polyester have a vibrant and dynamic look thanks to the mix of the two-colored fabric.



SEATING MATERIALS are a blend of superior New Zealand wool and polyamid that form a soft and rich texture. The extremely durable fabrics are both dirt and water repellent.




CARPET FLOORING is anti-static, stain resistant, and durable, giving the pod an overall soft look and finish.

Framery smart office solutions / Make any space smart with Framery

Framery smart office solutions are workplace tools that help workplace managers make data-driven office design decisions and access workplace insights through intuitive dashboards. The seamless room booking solutions deliver a premium employee experience.


Pair the solutions with Framery smart pods, or turn any office space into a smart workspace.



NEW


Framery Room Sensor™

WORKPLACE MANAGEMENT Utilize private and advanced occupancy and people-counting data to create the ideal work environment for both focused solo work and collaboration. Identify underutilized and improperly used spaces to make precise layout adjustments, effectively cutting costs and maximizing real estate ROI.



Framery Connect™

WORKPLACE MANAGEMENT
A smart platform for workplace management.




Framery Room Display™

ROOM BOOKING SOLUTIONS
See availability and book any room with ease.



Framery Space Overview™

ROOM BOOKING SOLUTIONS
Shows real-time availability of nearby spaces.



Framery App™

ROOM BOOKING SOLUTIONS
Find and book spaces in seconds.

Accessory kits

Add a complete hardware kit for your Framery Room Display and Space Overview, or use your own equipment.

Automatic updates

Instantly receive software updates through your smart pod's 4G connection to enable the future developments.

Privacy assured

No identifiable user data is collected —only workspace occupancy information is tracked.

FREE SUBSCRIPTION FOR NEW SMART POD OWNERS

Receive a complimentary 3-month Plus subscription, giving access to all our smart office solutions.

Read more



Framery smart pods / Environmental data sheet

The furniture industry faces a systemic waste crisis, with approximately 80% of products ending up in landfill. Framery addresses this problem by maximizing the useful life of every asset by pioneering material and design innovation—ensuring our smart pods can be repaired and refurbished rather than replaced. Underpinned by high-trust, third-party frameworks, our products are engineered to deliver decades of service.

Verifiable Sustainability & High-Trust Frameworks

At Framery, sustainability is a strategic driver of market leadership rooted in data-driven transparency, science-based targets, and third-party validation:

- **Science Based Targets initiative (SBTi):** Framery is committed to targets aligned with limiting global warming to 1.5°C. Having reduced absolute Scope 1 and 2 emissions by 52% in 2025, we remain on track toward our 2030 target of a 50% absolute Scope 1 & 2 reduction and a 52% Scope 3 economic intensity reduction per EUR value added (from a 2024 base year).
- **Third-Party Verified Data (EPDs):** Over 90% of our smart pods' mass is modeled using supplier-specific data rather than industry averages. We publish third-party verified Environmental Product Declarations (EPDs), Health Product Declarations (HPDs), and Declare labels to satisfy the rigorous value-chain reporting

- **Supply Chain Integrity & Governance:** Framery holds an EcoVadis Gold Medal sustainability rating, placing the company among the top 5% of assessed companies globally. Furthermore, 99.7% of our supplier spend is covered by our renewed Supplier Code of Conduct.

Circularity by Design & Material Innovation

Framery smart pods are engineered to maximize usefulness while minimizing environmental impact:

- **Mono-Material Engineering:** Smart pods are built primarily from high-grade, easily recyclable mono-materials, such as steel, aluminum, glass, and acoustic PET, to simplify end-of-life recycling and support a closed-loop economy.
- **Modular Serviceability:** Every pod features an adaptable, modular architecture with easily replaceable components, enabling seamless repairs, upgrades, and relocations.
- **Proven Durability:** Engineered to withstand heavy daily office use, our pods are built to last—with units in active use logging over 15,000 work sessions without compromising quality or performance.

Software-Driven Efficiency

Sustainability extends beyond manufacturing into everyday office operations. Framery integrates physical

workspaces with digital software to ensure every pod delivers maximum utility throughout its lifespan:

- **Over-the-Air (OTA) Energy Optimization:** Through software-driven adaptive airflow, optimized ventilation modes, and intelligent lighting, smart pods automatically minimize electricity consumption during default work, video call, idle, and refresh states.
- **Maximizing Space & Asset Utilization:** In 2025 alone, users spent a total of 1,344 years inside Framery workspaces across over 27 million work sessions. Framery's Smart Office Solutions provides fine-grained, data-driven usage analytics. By helping organizations optimize footprint efficiency, our solutions prevent unnecessary physical expansion and maximize the productive life of every asset.

Certificates and studies available:

- Life Cycle Assessment (LCA)
- Environmental Product Declarations (EPDs)
- Health Product Declarations (HPD)
- Declare labels
- Möbelfakta
- UL GREENGUARD Gold
- Contribution to green building certifications such as LEED certifications, BREEAM, SKA and WELL



Framery has been awarded with a Gold Medal sustainability rating from Ecovadis sustainability – placing us among the top 5 % percent of companies assessed in the past year.




Framery holds the Certified Autism Resource (CAR) designation, earned after an IBCCES expert board certified its product aligns with competency areas to meet the needs of individuals with autism.



Find the sustainability report and the smart pods' EPDs by scanning the QR code or go to framery.com.

Framery One Work™

Technical specifications



Performance

Speech level reduction: 30dB

Max airflow: 53 l/s

Default energy consumption: 48,5 W

Sustainable design

Built to last for decades

Light-weight product structures

Refurbishable & movable

Connectivity

Built-in 4G connection

Automatic software updates


Smart office solutions

Framery One Work / Technical specifications


OVERVIEW

Soundproofing	CLASS A 30 DS,A (DB) REDUCTION Speech level reduction DS,A (dB) is measured using ISO 23351-1. Pod can be placed next to workspaces without compromising privacy.
Soundmasking	FRAMERY OFFICE SOUND MASKING SYSTEM™ A pre-fitted sound masking system improves the soundscape of the office outside the pods with an effective radius of 5 m / 16 ft.
Ventilation	MAXIMUM AIRFLOW 53 l/s, 112 CFM (191 m3/h). DEFAULT AIRFLOW 31 l/s, 65 CFM (111 m3/h) when in use. After use, the pod refreshes itself with a higher ventilation speed. STANDBY MODE 24 l/s, 51 CFM (86 m3/h). ADJUSTABLE DIRECTIONAL AIRFLOW Choose between direct and indirect airflow.
Lighting	DOUBLE CEILING LIGHT Color temperature 4000K, illuminance up to 375 lux on the table top. VIDEO LIGHT Color temperature 4000K, illuminance up to 500 lux on the user's face. PRE-SET LIGHTING MODES Standard mode & Video call mode. Lighting can also be adjusted manually.
Presence detection	SENSOR TECHNOLOGY mmWave radar.
Dimensions	EXTERIOR with air filter housing 232.9 x 196.4 x 129.2 cm / 91.7 x 77.4 x 50.9 in (h,w,d). INTERIOR 209.7 x 176.6 x 118 cm (h,w,d). DOORWAY 209.7 x 96.6 cm / 82.6 x 38 in (h,w). WEIGHT 488 kg / 1076 lb. THRESHOLD 1.25 cm / 0.5 in . DOOR SWING ANGLE 180°.
Touchscreen location	On the table.
Connectivity	Framery smart pods gather anonymous occupancy data, measuring when and how often spaces are used. Users in the space cannot be identified and no personally identifiable data is collected. The anonymous data is transferred via built-in 4G connectivity, or through a Wi-Fi connection and compiled and shown in the Framery Connect platform. WLAN Wi-Fi 802.11 a/b/g/n/ac 2.4&5 GHz

DIMENSIONS / MAIN VIEW



DIMENSIONS / THRESHOLD



Framery One Work is
UL GREENGUARD GOLD
certified




Framery One Work shipped in North
America is UL 962 listed

Framery One Work / Technical specifications


MATERIALS

Exterior	EXTERIOR PANELS Powder coated matt steel panels. FRAMES Structure matt black aluminum. DOOR FRAME Structure matt black aluminum. GLASS Sound control laminated glass (4 + 4 mm / 0.16 + 0.16 in). CHASSIS Light steel and PET sound-absorbing structure. HANDLE Custom-designed black metal.
Interior	INTERIOR PANELS PET sheets laminated with recycled polyester fabric. UPHOLSTERY FABRIC Gabriel Tonal. CARPET Antistatic and stain resistant low loop pile carpet. TABLE Table top is birch plywood laminated with white, black anti-fingerprint, oak or walnut veneer. TABLE LEG Smooth black adjustable table leg or structure black metal fixed table leg.
Furniture dimensions	TABLE 116.8 × 60,0 cm / 46.9 × 23.6 in (w, d). TABLE HEIGHT Fixed desk: 27.6 in / 70 cm Height-adjustable desk: 68,7 - 118,7 cm / 27 - 46.7 in. MAX LOAD FOR THE TABLE 60 kg / 132.3 lb.
Optional accessories	DUAL-MONITOR STAND Includes single monitor support (up to 40") by default. Optional dual-monitor upgrade available (supports two up to 27" screens in landscape or portrait orientation). PRIVACY FILM Add Framery's privacy film to the glass surfaces of the pod for visual privacy. Requires professional installers. FRAMERY ROOM DISPLAY KIT Add Framery Room Display outside your smart pod with our full kit: exterior tablet mount, tablet holder and tablet. Same as Smart Pod Kit in Smart Office portfolio. SMART LOCK Locking capability with different entry methods. KICKPLATE Protects interior panel from scuffs and everyday wear. Size: 38 × 54 cm / 21.3 × 15.0 in. (Deliveries start in March 2027)

DIMENSIONS / TABLE / TOP VIEW



DIMENSIONS / TABLE / FRONT VIEW



Framery One Work / Technical specifications

POWER AND OTHER

Power	POWER CONSUMPTION Default settings 48.5 W. Highest settings 101 W. Standby mode 14.2 W. INPUT 230 VAC, 10 A*, 60 Hz. OUTPUT AC (POWER OUTLET) 120 - 230 VAC, 6 A, 60 Hz. OUTPUT USB-C PD CHARGE PORT 140W. OUTLETS 2 x on-table power outlets, 3 x under-table power outlets. Optional: 2 x USB-C PD charge ports (140 W), 1-2 x LAN port (with cable). *North America: NEMA 5-15P (120v 3-prong) *India: 16A
Door handedness	Left-handed by default (cannot be changed).
Movability	Relocate the pod without the need for disassembly by adding casters with a movability kit. The kit is reusable. Multiple pods can be moved with one kit.

SAFETY


Fire safety	No fire hazardous materials are used in Framery pods. The fire safety of all surface materials, upholstery and acoustics materials of our products are tested and classified by either national or international standards. Framery provides additional safety measurements to adhere to local regulatory requirements.
Seismic safety	Framery pods comply with seismic testing in accordance with ASCE 7-16 and are designed for easy floor anchoring.

SHIPPING CRATE DIMENSIONS

Crate 1	DIMENSIONS 223 x 72 x 115 cm / 87.8 x 28.3 x 45.3 in. WEIGHT 367 kg / 809.1 lb.
Crate 2	DIMENSIONS 227 x 77 x 144 cm / 89.4 x 30.3 x 56.7 in. WEIGHT 209 kg / 460.8 lb.

DIMENSIONS / POWER CORD SPECIFICATIONS

Power cord outlet always on right side of the pod (table side) Cord can be lead from the floor and roof.



For the doers,
leaders, thinkers,
dreamers, creators,
teams, pioneers
and innovators.
**For people who
get it done.**