
Framery Smart Pods



Smart and soundproof office pods &
workplace solutions for people who get it done.

framery



Our new line of smart pods has been designed to make every part of your workday easier—from effortlessly locating and reserving spaces to maximizing productivity throughout your day. Choose from a variety of sizes and layouts to find the perfect match for your team's needs. Welcome to the future of office design with Framery smart pods and smart office solutions.



Framery One Compact™

The smart and soundproof one-person phone booth designed for phone and video calls. The efficient 1 m² footprint delivers true spaciousness without taking over valuable floor space.




Framery Four™

The smart and soundproof meeting pod for up to four people, built for face-to-face meetings and hybrid collaboration. This multifunctional space lets teams sync instantly without disturbing the surrounding office.



Framery One™

The smart and soundproof one-person office pod designed for video calls and focus work. This versatile workspace gives you plenty of interior room to get comfortable and do your best work.



Framery Four Accessible™

The smart and soundproof four-person meeting pod designed for total accessibility. It offers the same premium comfort and functionality as Framery Four, built in an inclusive, wheelchair-friendly layout.



Framery One Work™

The smart and soundproof workstation pod built for deep focus and hybrid work. As the best-equipped private workstation, it provides a spacious, permanent-feeling environment designed for uninterrupted flow.



Framery Six™

The smart and soundproof meeting room for up to 6 people. This multifunctional meeting space is tailored for collaborative teamwork and enhanced for face-to-face and hybrid brainstorming sessions.

Framery smart pods. For every task. For every office.

framery

Framery One Compact™





Framery One Compact is a smart, spacious, one-person phone booth designed for phone and video calls. This state-of-the-art soundproof office pod is packed with technology, featuring world-class sound insulation, echo-free acoustics, adaptive ventilation and automated lighting – so you can focus on your calls and connect online with people anywhere.

Framery One Compact / Product highlights



Workdays that flow with ease

Framery One Compact has been purposefully designed to make your workdays flow better. Find and book the pod in advance or on-the-fly from the Framery app. Or step inside and the pod automatically creates a reservation for you. Extend your reservation directly from the pod's touchscreen, or adjust your booking through the app.

Privacy you can trust

The fine-tuned acoustic structure provides A-Class soundproofing that allows the pod to be placed next to workstations without causing noise distractions to the user or to those outside of the pod. And echo-free interior acoustics make the pod a private, comfortable place for work and video calls. Visual privacy films maintain focus even in high-traffic areas.

Airflow that keeps you fresh

The pod recognizes when it's occupied, senses the temperature and humidity of the surroundings, and triggers adjustments to the airflow accordingly. Enhanced ventilation fully refreshes the air every minute, and ventilation can be easily adjusted through the pod's touchscreen.

Lighting that makes you feel good

Automated dual-lighting sources adapt to your needs, with preset lighting options to choose between work or video modes. Video-optimized lighting helps you shine on video calls. Adjustments can be made quickly and easily through the touchscreen display.

Framery One Compact / Tech features



1. A-CLASS SOUNDPROOFING

Guaranteed privacy with fine-tuned Class A speech level reduction of 30dB – and the industry's top ISO 23351-1 rating for office phone booths.

2. FRAMERY OFFICE SOUND MASKING SYSTEM™

The embedded system is based on patent-pending technology that reduces noise distractions and protects speech privacy in office environments by adding a subtle, unobtrusive background sound outside of the pod. This ambient background noise, similar to air flow, is specifically designed to blend in with the office's noise atmosphere – making sounds less intelligible and therefore less distracting.

3. ADAPTIVE VENTILATION

Proprietary design enables unparalleled ventilation with maximum airflow of 36 l/s – surpassing industry standards around the world.

4. TEMPERATURE & HUMIDITY SENSORS

Sensors inside the pod recognize the temperature and humidity of the office environment, and automatically optimize the airflow accordingly.

5. AUTOMATIC LIGHTING MODES

Dual adjustable 4000K LED light sources allow you to seamlessly switch between video or work modes – or make manual adjustments for personalized illumination.

6. 8-INCH TOUCHSCREEN

An intuitive, 8-inch high-resolution touchscreen makes it easy to control pod settings, adjust lighting and airflow, and extend calendar reservations effortlessly.

7. AUTOMATIC UPGRADES

A built-in 4G connection enables automatic over-the-air software updates – initiated instantly and silently in the background.

8. MMWAVE RADAR PRESENCE DETECTION

Millimeter-wave radar sensors immediately detect when someone enters or leaves the pod, allowing lighting and ventilation to adjust accordingly. Occupancy data is gathered and displayed through Framery Connect to provide information about when the pod is being used the most.

9. FRAMERY CONNECT™

Gain insights from occupancy data, initiate advanced bookability functionalities, and connect your Framery One Compact to the entire office to get valuable usage data needed to improve the layout and efficiency of your workplace.

10. BOOKABLE PODS

Make your smart pod bookable like any meeting room. The pod's touchscreen will show reservations and you can manage them on the spot.


framery

Framery One Compact / Design details

Framery One Compact feels spacious inside while taking a minimal amount of floor space. This phone booth is built to last with a lightweight structure and efficient use of materials without compromising performance or quality. The minimalistic design approach uses carefully curated materials, making it a sustainable choice.



Framery One Compact's powder-coated exterior panels are made from deepdrawn steel. Matt black structures made from aluminum create the framing, and sound-control laminated glass finish the structural support.




The pod chassis is made of a light steel structure. Replaceable interior paneling are made from PET sound-absorbing material. Anti-static, stain resistant low-loop pile carpeting covers the flooring.



The top-mounted occupancy lights show at a glance whether the pod is available or already taken.



The custom-designed table comfortably fits a laptop, and a built-in power outlet and coat hook are provided for all your office accessories.



The height-adjustable seat and built-in footrest prioritize comfortable and ergonomic working positions.



In addition to industry-leading soundproofing, our privacy films offer smooth visual privacy for uninterrupted work.

Framery One Compact / Colors and finishes

EXTERIORS

- White (Standard) RAL 9016 Ultramatt
- Black (Standard) RAL 9005 Ultramatt
- Gray (Standard) S 7500 - N Ultramatt
- Navy S 7020 - R90B Ultramatt
- Sand S 2010 - Y20R Ultramatt
- Powder Blue 3421-R86B Ultramatt
- Winter Moss S 7010-G10Y Ultramatt
- Blush 2728-R01B Ultramatt

CARPETS

- Light Gray (Standard) Fletco carpets
- Dark Blue Fletco carpets
- Champagne Fletco carpets
- Grape Fletco carpets

TABLE TOPS

- White (Standard) White laminate
- Black Black Laminate with anti-fingerprint surface
- Oak Veneer

SEATING FABRICS

- Graphite (Standard) Select #60051 Gabriel
- Dark Blue Select #66144 Gabriel
- Grape Select #61190 Gabriel
- Rose Select #65117 Gabriel
- Powder Blue Select #67098 Gabriel
- Beige Select #61184 Gabriel
- Green Select #68209 Gabriel
- Mustard Select #62098 Gabriel

INTERIORS


- Pure Gray (Standard) Tonal #60123 Gabriel
- Arctic Blue Tonal #66185 Gabriel
- Sand Tonal #61180 Gabriel
- Rouge Tonal #64210 Gabriel

PRIVACY FILMS

- Solid
- Line
- Grid

Design your own on our website


MATERIALS AND FINISHES



EXTERIOR PANELS made from steel feature a powder-coated matt finish. The lightweight panels are joined together seamlessly, with elegant curves that create a timeless design.



INTERIOR PANELS made from high-quality and recycled polyester have a vibrant and dynamic look thanks to the mix of the two-colored fabric.



SEATING MATERIALS are a blend of superior New Zealand wool and polyamid that form a soft and rich texture. The extremely durable fabrics are both dirt and water repellant.




CARPET FLOORING is anti-static, stain resistant, and durable, giving the pod an overall soft look and finish.

framery

Framery One Compact™

Technical specifications



Performance

Speech level reduction: 30dB
Maximum airflow: 36 l/s
Low energy consumption: 27W

Sustainable design

Built to last for decades
Light-weight product structures
Refurbishable & movable

Connectivity


Built-in 4G connection
Automatic software updates
Framery Connect digital services

Framery One Compact / Technical specifications

OVERVIEW

Soundproofing	**CLASS A** 30 DS,A (dB) reduction Speech level reduction DS,A (dB) is measured using ISO 23351-1. Pod can be placed next to workspaces without compromising privacy
Sound masking	**FRAMERY OFFICE SOUND MASKING SYSTEM™** A pre-fitted sound masking system improves the soundscape of the office outside the pods with an effective radius of 5 m / 16 ft
Ventilation	**MAXIMUM AIRFLOW** 36 l/s, 76 CFM (129.6 m³/h) **DEFAULT AIRFLOW** 26 l/s, 55 CFM (94 m³/h) when in use. After use, the pod refreshes itself with a higher ventilation speed. **STANDBY MODE** 16 l/s, 34 CFM, (58 m³/h)
Lighting	**CEILING LIGHT** Color temperature 4000K, illuminance up to 500lux on the table top. **VIDEO LIGHT** Color temperature 4000K, illuminance up to 400lux on the user's face. **PRE-SET LIGHTING MODES** Standard mode & Video call mode. Lighting can also be adjusted manually
Presence detection	**SENSOR TECHNOLOGY** mmWave radar
Dimensions	**EXTERIOR** 225 × 103 × 100 cm / 88.6 × 40.7 × 39.4 in (h,w,d) **WITH CASTERS** Additional 0.5 cm / 0.2 in (h) **LEVELING GLIDE** 2.5cm / 1 in **DOORWAY** 204 × 85 cm / 80.2 × 33.5 in (h, w) **WEIGHT** 253 kg / 558 lb **THRESHOLD** 11.6 cm / 4.6 in (also with casters)
Connectivity	Framery smart pods gather anonymous occupancy data, measuring when and how often spaces are used. Users in the space cannot be identified and no personally identifiable data is collected. The anonymous data is transferred via built-in 4G connectivity, or through a Wi-Fi connection and compiled and shown in the Framery Connect platform. **WLAN** Wi-Fi 802.11 a/b/g/n/ac 2.4&5 GHz

DIMENSIONS / MAIN VIEW



Framery One Compact is UL GREENGUARD GOLD certified

Framery One Compact shipped in North America is UL 962 listed

framery

Framery One Compact / Technical specifications


MATERIALS

Exterior & structure	**EXTERIOR PANELS** Powder coated matt steel panels **FRAMES** Structure matt black steel **DOOR FRAME** Matt black aluminum and plastic structure **GLASS** Sound control laminated glass (4 + 4 mm / 0.16 + 0.16 in) **CHASSIS** Light steel and PET sound-absorbing structure **HANDLE** Mix of black plastic and steel
Interior materials	**INTERIOR PANELS** PET sheets laminated with recycled polyester fabric **UPHOLSTERY FABRIC** Gabriel Tonal **CARPET** Antistatic and stain resistant low loop pile carpet **TABLE** Table top is birch plywood laminated with white, black anti-fingerprint, or oak veneer. The table bottom is black thermoformed felt
Seating materials	**UPHOLSTERY FABRIC** Gabriel Select **FABRIC COMPOSITION** 85 % New Zealand wool / 15 % Polyamide **MARTINDALE** 200,000 **LEG & FOOTREST** Steel and aluminum
Furniture dimensions	**TABLE SIZE** 76.5 × 36 cm / 30 × 14 in (w, d) **TABLE HEIGHT** 102 cm / 40.2 in **MAX LOAD FOR THE TABLE** 50 kg / 110 lb **SEAT SIZE** 38 × 38 cm / 15 × 15 in (w, d) **SEAT HEIGHT** 59–85 cm / 23.2–33.5 in **MAX LOAD FOR THE SEAT** 135 kg / 300 lb
Optional Accessories	**KICKPLATE** Protects interior panel from scuffs and everyday wear. Size: 38 × 54 cm / 15.0 × 21.3 in (w, h). (Deliveries start in March 2027) **PRIVACY FILM** Add Framery's privacy film to the glass surfaces of the pod for visual privacy. Requires professional installers.

SAFETY

Fire safety	No fire hazardous materials are used in Framery pods. The fire safety of all surface materials, upholstery and acoustics materials of our products are tested and classified by either national or international standards. Framery provides additional safety measurements to adhere to local regulatory requirements
Seismic safety	A seismic anchoring kit for a pod is available

DIMENSIONS / TOP VIEW



Framery One Compact / Technical specifications


POWER AND SPACE REQUIREMENTS

Power	**OUTLETS** 1 × power outlet Optional: 1 × power outlet, 1-2 × USB-C PD charge ports (65W) or 1 × LAN port (with cable) **POWER CONSUMPTION** Default settings 27W. Highest settings 40W. Standby mode 14W. **INPUT** 100–240 VAC, 10 A*, 50–60 Hz **OUTPUT AC (POWER OUTLET)** 100–240VAC, 6.6A, 50–60 Hz **OUTPUT USB-C PD CHARGE PORT** 65W *North America: NEMA 5-15P (120v 3-prong) *India: 16A
Space requirements	**DOOR SWING ANGLE** 180°
Door handedness	Right-handed by default (can also be installed left-handed)
Movability	Relocate the pod without the need for disassembly by adding casters (optional). Levelling guides must be lifted when moving the pod, and lowered when placed in position

SHIPPING CRATE

Dimensions	228.5 × 114.5 × 86.5 cm / 90 × 45.1 × 34.1 in
Weight	310 kg / 683 lb Crates can be stacked (max 3 boxes)

DIMENSIONS / POWER CORD SPECIFICATIONS



See all pod dimensions.

framery

Framery One™





Framery One is a smart, spacious, one-person office pod designed for video calls and focus work. Contemporary design and advanced technology characterize every detail of this comfortable and versatile workspace. This soundproof office pod features world-class sound insulation, industry-leading ventilation, and echo-free acoustics so you can focus on your work and connect online with people anywhere.

The smart and soundproof office pod

framery



Workdays that flow with ease

Framery One has been purposefully designed to make your workdays flow easier. Automatically reserve a vacant pod by stepping inside, or book it in advance from the Framery app. Extend your reservation directly from the pod's touchscreen, or adjust your booking through the app.

Privacy you can trust

The fine-tuned acoustic structure provides A-Class soundproofing that allows the pod to be placed next to workstations without causing noise distractions to the user or to those outside of the pod. And echo-free interior acoustics make the pod a private, comfortable place for work and video calls. Visual privacy films maintain focus even in high-traffic areas.

Airflow that keeps you fresh

Stay fresh and focused with effcient airflow. Enhanced ventilation fully refreshes the air every minute. The ventilation can be easily adjusted to the user's preferences through the pod's touchscreen display with a single touch.

Lighting that makes you feel good

Automated dual-lighting sources adapt to your needs, with preset lighting options to choose between work or video modes. Video-optimized lighting helps you shine on video calls. Adjustments can be made quickly and easily through the touchscreen display.



1. A-CLASS SOUNDPROOFING

Guaranteed privacy with an industry leading Class A speech level reduction of 30dB and one of the industry's top ISO 23351-1 ratings for office phone booths.

2. ADAPTIVE VENTILATION

Proprietary design enables unparalleled ventilation with maximum airflow of 26 l/s – surpassing industry standards around the world.

3. OPTIMIZED LIGHTING

Dual adjustable 4000K LED light sources allow you to seamlessly switch between video or work modes – or make manual adjustments for personalized illumination.

4. AUTOMATED WALK-IN RESERVATIONS

Step inside the pod to create an automatic walk-in reservation – or easily find and book Framery One through the Framery app. Adjust your booking from the mobile application, or directly from inside the pod.

5. AUTOMATIC UPGRADES

A built-in 4G connection enables automatic over-the-air software updates – initiated instantly and silently in the background.

6. INTUITIVE UI

A high-resolution touchscreen makes it easy to control pod settings, adjust lighting and airflow, and manage calendar reservations.

7. AUTOMATIC UPDATES

A built-in 4G connection enables automatic over-the-air software updates – initiated instantly and silently in the background.

8. OCCUPANCY LIGHTS

The occupancy lights in the top corners of the pod indicate the pod's status: green for vacant, and red for occupied.

9. USAGE DATA

With built-in occupancy sensors, your pod automatically feeds anonymous usage data straight into Framery Connect – giving you actionable insights to continuously optimize your workplace.

10. BOOKABLE PODS

Make your smart pod bookable like any meeting room. The pod's touchscreen will show reservations and you can manage them on the spot.

framery

Framery One / Design details

Contemporary design and advanced technology characterize every detail of this comfortable and stylish soundproof pod that is built sustainably and engineered to last. Framery One is available in three distinct layouts, each designed to support a different way of working. Whether you need ergonomic adjustability, relaxed comfort, or open flexibility, there's a configuration to match your workday rhythm.



Ideal for tasks that require extended focus, Framery One is available with an electric work desk, a built-in height-adjustable stool, and dual footrests to support ergonomic working positions, and allow users to fine-tune their setup for comfort and concentration.



For more relaxed experience, an optional built-in sofa and curved desk create a comfortable, informal workspace that is well-suited for virtual meetings, solo work, or quiet moments between tasks. The table can be upgraded to an electric work desk.



The exterior occupancy lights show at a glance whether the pod is available or already taken.



In addition to industry-leading soundproofing, our privacy films offer smooth visual privacy for uninterrupted work.



An optional monitor wall mount lets you add a full-sized display for additional flexibility.



Convenient outlets and a coat hook are provided to accommodate all your office accessories.

Framery One / Colors and finishes

EXTERIORS

- White (Standard) RAL 9016 Ultramatt
- Black (Standard) RAL 9005 Ultramatt
- Gray (Standard) S 7500 - N Ultramatt
- Navy S 7020 - R90B Ultramatt
- Sand S 2010 - Y20R Ultramatt
- Powder Blue 3421-R86B Ultramatt
- Winter Moss S 7010-G10Y Ultramatt
- Blush 2728-R01B Ultramatt

INTERIORS

- Pure Gray (Standard) Tonal #60123 Gabriel
- Arctic Blue Tonal #66185 Gabriel
- Sand Tonal #61180 Gabriel
- Rouge Tonal #64210 Gabriel

CARPETS

- Light Gray (Standard) Fletco carpets
- Dark Blue Fletco carpets
- Champagne Fletco carpets
- Grape Fletco carpets

TABLE TOPS

- White (Standard) White laminate
- Black Black Laminate with anti-fingerprint surface
- Oak Veneer

SEATING FABRICS


- Graphite (Standard) Select #60051 Gabriel
- Dark Blue Select #66144 Gabriel
- Grape Select #61190 Gabriel
- Rose Select #65117 Gabriel
- Powder Blue Select #67098 Gabriel
- Beige Select #61184 Gabriel
- Green Select #68209 Gabriel
- Mustard Select #62098 Gabriel

PRIVACY FILMS

- Solid
- Line
- Grid

Design your own on our website

MATERIALS AND FINISHES



EXTERIOR PANELS made from steel feature a powder-coated matt finish. The lightweight panels are joined together seamlessly, with elegant curves that create a timeless design.



INTERIOR PANELS made from high-quality and recycled polyester have a vibrant and dynamic look thanks to the mix of the two-colored fabric.



SEATING MATERIALS are a blend of superior New Zealand wool and polyamid that form a soft and rich texture. The extremely durable fabrics are both dirt and water repellant.




CARPET FLOORING is anti-static, stain resistant, and durable, giving the pod an overall soft look and finish.

framery

Framery One™

Technical specifications



Performance

Speech level reduction: 30dB
Max airflow: 26 l/s
Low energy consumption: 28W

Sustainable design

Built to last for decades
Light-weight product structures
Refurbishable & movable

Connectivity


Built-in 4G connection
Automatic software updates
Framery Connect digital services

Framery One / Technical specifications


OVERVIEW

Soundproofing	**CLASS A** 30 DS,A (dB) reduction Speech level reduction DS,A (dB) is measured using ISO 23351-1. Pod can be placed next to workspaces without compromising privacy.
Ventilation	**DEFAULT AIRFLOW** 26 l/s, 55 CFM (94 m^3/h). Airflow can be adjusted manually. After use, the pod refreshes itself with a higher ventilation speed. **STANDBY MODE** 7 l/s, 15 CFM, (25 m^3/h)
Lighting	**CEILING LIGHT** Color temperature 4000 K, illuminance up to 500 lux on the tabletop. **VIDEO LIGHT** Color temperature 4000 K, illuminance up to 400 lux on the user's face. **PRE-SET LIGHTING MODES** Standard mode & Video call mode. Lighting can also be adjusted manually.
Presence detection	**SENSOR TECHNOLOGY** Ultrasonic sensor
Dimensions	**EXTERIOR** 225.5 × 122 × 100 cm / 88.8 × 48 × 39.4 in (h, w, d) **WITH CASTERS** Additional 3 cm / 1.18 in (h) **WITH AIR FILTER** additional 6.5 cm / 2.56 in (h) **WITH SEISMIC KIT** additional 2 cm / 0.78 in (h) **DOORWAY** 204 × 101.5 cm / 80.3 × 40 in (h, w) **WEIGHT** 357 kg / 787 lb (Framery One Lounge: 370 kg / 815.7 lb) **THRESHOLD** 11 cm / 4.35 in (with casters 12.3 cm / 4.85 in)
Connectivity	Framery smart pods gather anonymous occupancy data, measuring when and how often spaces are used. Users in the space cannot be identified and no personally identifiable data is collected. The anonymous data is transferred via built-in 4G connectivity, and compiled and shown in the Framery Connect platform.

DIMENSIONS / MAIN VIEW



DIMENSIONS / HEIGHT ADJUSTABLE SEAT AND TABLE / FRONT VIEW



*including air filter, casters and seismic kit.

Framery One is UL GREENGUARD GOLD certified

Framery One shipped in North America is UL 962 listed

framery

Framery One / Technical specifications

MATERIALS

Exterior & structure

EXTERIOR PANELS Powder coated matt steel panels
FRAMES Structure matt black frames made from steel & aluminum
DOOR FRAME Matt black composite structure. **GLASS** Sound control laminated glass (4 + 4 mm / 0.16 + 0.16 in.)
CHASSIS A sandwich element chassis, made of sheet metal & recycled acoustic foam
HANDLE Black cast aluminum

Interior materials

INTERIOR PANELS PET sheets which are laminated with recycled polyester fabric
UPHOLSTERY FABRIC Gabriel Tonal
CARPET Antistatic and stain resistant low loop pile carpet. **TABLE** Table top is birch plywood laminated with white, black anti-fingerprint, or oak veneer. The table bottom is black thermoformed felt

Seating materials

UPHOLSTERY FABRIC Gabriel Select
FABRIC COMPOSITION 85 % New Zealand wool / 15 % Polyamide
MARTINDALE 200,000
STOOL & FOOTREST Steel, aluminum & plastic (Carpet also included for the Framery One Lounge footrest)

Furniture dimensions

TABLE SIZE 76.5 × 46 cm / 30.1 × 18 in (w, d)
TABLE HEIGHT 74–116 cm / 29.1–45.7 in (Framery One Lounge with fixed table 88 cm / 34.6 in)
MAX LOAD FOR THE TABLE 50 kg / 110 lb
SEAT SIZE 38 × 38 cm / 15 × 15 in (d, w) (Framery One Lounge 40.2 × 60.7 cm / 15.8 in × 23.9 in) **SEAT HEIGHT** 59–85 cm / 23.2–33.5 in (Framery One Lounge 62 cm / 24.4 in) **MAX LOAD FOR THE SEAT** 135 kg / 300 lb (Framery One Lounge 200kg / 441 lb)

Optional accessories

MONITOR WALL MOUNT Maximum monitor size 24". Maximum weight 5 kg / 11 lbs with flat VESA 100 × 100 mounting surface. Monitor not included.
KICKPLATE Protects interior panel from scuffs and everyday wear. Size: 38 × 54 cm / 15.0 × 21.3 in (w, h). (Deliveries start in March 2027). **PRIVACY FILM** Add Framery's privacy film to the glass surfaces of the pod for visual privacy. Requires professional installers.

SHIPPING CRATE


Dimensions

229 × 131 × 88 cm / 90.15 × 51.6 × 34.6 in (Framery One Lounge also includes a second crate 80 × 60 × 70 cm / 31.5 × 23.6 × 27.6 in.)


Weight

430 kg / 948 lb (Framery One Lounge 464 kg / 1023 lb). Crates can be stacked (max 3 boxes).

DIMENSIONS / HEIGHT ADJUSTABLE SEAT AND TABLE / TOP VIEW




DIMENSIONS / LOUNGE SEAT AND FIXED TABLE / FRONT VIEW



*including air filter, casters and seismic kit.

DIMENSIONS / LOUNGE SEAT AND FIXED TABLE / TOP VIEW



Framery One / Technical specifications

POWER AND SPACE REQUIREMENTS

Power

OUTLETS 1 × power outlet, 1 × USB-C charge port (15W)
Optional: 1 × LAN port (with cable)

POWER CONSUMPTION
Default settings 28W. Highest settings 37W
Standby mode 6W

INPUT 100–240 VAC, 10 A*, 50–60 Hz

OUTPUT AC (POWER OUTLET)
100–240VAC, 6.6A, 50–60 Hz

OUTPUT USB-C CHARGE PORT 15W

*North America: NEMA 5-15P (120v 3-prong)
*India: 16A

Space requirements

DOOR SWING ANGLE 90°

Door handedness

Right-handed by default
(can also be installed left-handed)

Movability

Relocate the pod without the need for disassembly by adding casters (optional). Levelling guides must be lifted when moving the pod, and lowered when placed in position.

SAFETY


Fire safety

No fire hazardous materials are used in Framery pods. The fire safety of all surface materials, upholstery and acoustics materials of our products are tested and classified by either national or international standards. Framery provides additional safety measurements to adhere to local regulatory requirements.

Seismic safety

A seismic anchoring kit for a pod is available for the seismic regions. The kit consists of brackets that further reinforce the pod structure to withstand heavy seismic forces.

DIMENSIONS / POWER CORD SPECIFICATIONS



See all pod dimensions.

framery

Framery One Work™





Framery One Work is a smart and soundproof workstation pod designed for one person and built for long sessions of focused work. It features a full-sized, height-adjustable desk, Class A soundproofing, adaptive ventilation, and versatile lighting — making it the best-equipped private workstation for modern workplaces. With plenty of room inside, Framery One Work gives you a spacious, comfortable environment where you can settle in, focus, and do your best work.

The smart and soundproof workstation pod for one person

framery

Framery One Work / Product highlights



Workdays that flow with ease

Framery One Work has been purposefully designed to make your workdays flow better. Find and book the pod in advance or on-the-fly from the Framery app.
Or step inside and the pod automatically creates a reservation for you. Extend your reservation directly from the pod's touchscreen, or adjust your booking through the app.

Full privacy

The fine-tuned acoustic structure provides A-Class soundproofing that allows the pod to be placed next to workstations without causing noise distractions to the user or to those outside of the pod. And echo-free interior acoustics make the pod a private, comfortable place for work and video calls. Visual privacy films ensure you can stay in the flow without interruptions, even in the heart of a busy office.

Airflow that keeps you fresh

The pod recognizes when it's occupied, senses the temperature and humidity of the surroundings, and triggers adjustments to the airflow accordingly. Enhanced ventilation fully refreshes the air every minute, and ventilation can be easily adjusted through the pod's touchscreen.

Lighting that makes you feel good

Automated dual-lighting sources adapt to your needs, with preset lighting options to choose between work or video modes. Video-optimized lighting helps you shine on video calls. Adjustments can be made quickly and easily through the touchscreen display.

Framery One Work / Tech features



1. A-CLASS SOUNDPROOFING

Guaranteed privacy with an industry-leading Class A speech level reduction of 30dB and one of the industry's top ISO 23351-1 ratings for office phone booths.

2. ADAPTIVE AIRFLOW

The pod senses the surrounding temperature and humidity and adjusts the airflow accordingly. It can also be adjusted manually.

3. AUTOMATIC LIGHTING MODES

The 4000K LED light sources let you seamlessly switch between video and work modes – or make manual adjustments for personalized illumination.

4. 8-INCH TOUCHSCREEN

An intuitive, 8-inch high-resolution touchscreen makes it easy to control pod settings, adjust lighting and airflow, and extend calendar reservations effortlessly.

5. OCCUPANCY LIGHTS

The occupancy lights in the top corners outside the pod indicate the pod's status: green for vacant, yellow for a reservation starting soon, and red for occupied.

6. BUILT-IN 4G CONNECTION

Connected through 4G or Wi-Fi, enabling the smart features and future-proof technology.

7. AUTOMATIC UPDATES

Receive automatic over-the-air (OTA) feature, system, and maintenance updates – available only for connected pods.

8. USAGE DATA

With built-in occupancy sensors, your pod automatically feeds anonymous usage data straight into Framery Connect – giving you actionable insights to continuously optimize your workplace.

9. BOOKABLE PODS

Make your smart pod bookable like any meeting room. The pod's touchscreen will show reservations, and you can manage them on the spot.

10. AUTOMATED WALK-IN RESERVATIONS

Step inside to instantly create a walk-in reservation that syncs with your company calendar.

11. EXTERNAL ROOM PANEL

Add Framery Room Display to the outside of your pod to show upcoming reservations and make on-the-spot bookings.

12. MONITOR STAND

Choose between one or two displays. The monitors are not included.

framery

Framery One Work / Design details

Framery One Work easily fits into any office thanks to its efficient footprint and easy movability. Its spacious interior features a full-sized, electric height-adjustable desk, offering flexibility for every user and seamless transitions between sitting and standing. Optional additional displays make it ideal for long sessions of focused work. Framery One Work is the best-equipped private workstation for modern workplaces, designed to adapt to changing office layouts and needs.



Enjoy a full-sized workstation tailored to your needs. While a sturdy fixed desk is standard, you can upgrade to an electric version for full height-adjustability and to seamlessly transition between sitting and standing for ideal ergonomics.



Choose between multiple screen layout options to optimize your workspace's usability: a wide screen up to 40" or two screens next to each other (up to 27" each) in either landscape or portrait orientation.




Stay fully charged throughout your work session with power outlets, USB-C PD charge ports (140W) and LAN ports.



In addition to industry-leading soundproofing, our privacy films offer smooth visual privacy for uninterrupted work.



The exterior occupancy lights show at a glance whether the pod is available, about to be reserved, or taken.



A wide doorway and low threshold enable an easy entry for wheelchair users in accordance with ADA guidelines.

Framery One Work / Colors and finishes

EXTERIORS

- White (Standard) RAL 9016 Ultramatt
- Black (Standard) RAL 9005 Ultramatt
- Gray (Standard) S 7500 - N Ultramatt
- Navy S 7020 - R90B Ultramatt
- Sand S 2010 - Y20R Ultramatt
- Powder Blue 3421-R86B Ultramatt
- Winter Moss S 7010-G10Y Ultramatt
- Blush 2728-R01B Ultramatt

CARPETS

- Light Gray (Standard) Fletco carpets
- Dark Blue Fletco carpets
- Champagne Fletco carpets
- Grape Fletco carpets

TABLE TOPS

- White (Standard) White laminate
- Black Black Laminate with anti-fingerprint surface
- Oak Veneer

PRIVACY FILMS


- Solid
- Line
- Grid

INTERIORS

- Pure Gray (Standard) Tonal #60123 Gabriel
- Arctic Blue Tonal #66185 Gabriel
- Sand Tonal #61180 Gabriel
- Rouge Tonal #64210 Gabriel

Design your own on our website


MATERIALS AND FINISHES



EXTERIOR PANELS made from steel feature a powder-coated matt finish. The lightweight panels are joined together seamlessly, with elegant curves that create a timeless design.



INTERIOR PANELS made from high-quality and recycled polyester have a vibrant and dynamic look thanks to the mix of the two-colored fabric.



SEATING MATERIALS are a blend of superior New Zealand wool and polyamid that form a soft and rich texture. The extremely durable fabrics are both dirt and water repellant.




CARPET FLOORING is anti-static, stain resistant, and durable, giving the pod an overall soft look and finish.

framery

Framery One Work™

Technical specifications



Performance

Speech level reduction: 30dB
Max airflow: 53 l/s
Default energy consumption: 48,5 W

Sustainable design

Built to last for decades
Light-weight product structures
Refurbishable & movable

Connectivity


Built-in 4G connection
Automatic software updates
Smart office solutions

Framery One Work / Technical specifications


OVERVIEW

Soundproofing	**CLASS A 30 DS,A (DB) REDUCTION** Speech level reduction DS,A (dB) is measured using ISO 23351-1. Pod can be placed next to workspaces without compromising privacy.
Soundmasking	**FRAMERY OFFICE SOUND MASKING SYSTEM™** A pre-fitted sound masking system improves the soundscape of the office outside the pods with an effective radius of 5 m / 16 ft.
Ventilation	**MAXIMUM AIRFLOW** 53 l/s, 112 CFM (191 m3/h). **DEFAULT AIRFLOW** 31 l/s, 65 CFM (111 m3/h) when in use. After use, the pod refreshes itself with a higher ventilation speed. **STANDBY MODE** 24 l/s, 51 CFM (86 m3/h). **ADJUSTABLE DIRECTIONAL AIRFLOW** Choose between direct and indirect airflow.
Lighting	**DOUBLE CEILING LIGHT** Color temperature 4000K, illuminance up to 375 lux on the table top. **VIDEO LIGHT** Color temperature 4000K, illuminance up to 500 lux on the user's face. **PRE-SET LIGHTING MODES** Standard mode & Video call mode. Lighting can also be adjusted manually.
Presence detection	**SENSOR TECHNOLOGY** mmWave radar.
Dimensions	**EXTERIOR** with air filter housing 232.9 x 196.4 x 129.2 cm / 91.7 x 77.4 x 50.9 in (h,w,d). **INTERIOR** 209.7 x 176.6 x 118 cm / 82.6 × 69.5 × 46.7 in (h,w,d). **DOORWAY** 209.7 × 96.6 cm / 82.6 × 38 in (h,w). **WEIGHT** 488 kg / 1076 lb. **THRESHOLD** 1.25 cm / 0.5 in . **DOOR SWING ANGLE** 180°.
Touchscreen location	On the table.
Connectivity	Framery smart pods gather anonymous occupancy data, measuring when and how often spaces are used. Users in the space cannot be identified and no personally identifiable data is collected. The anonymous data is transferred via built-in 4G connectivity, or through a Wi-Fi connection and compiled and shown in the Framery Connect platform. WLAN Wi-Fi 802.11 a/b/g/n/ac 2.4&5 GHz

DIMENSIONS / MAIN VIEW



DIMENSIONS / THRESHOLD



Framery One Work is UL GREENGUARD GOLD certified

Framery One Work shipped in North America is UL 962 listed


framery

Framery One Work / Technical specifications


MATERIALS

Exterior	**EXTERIOR PANELS** Powder coated matt steel panels. **FRAMES** Structure matt black aluminum. **DOOR FRAME** Structure matt black aluminum. **GLASS** Sound control laminated glass (4 + 4 mm / 0.16 + 0.16 in). **CHASSIS** Light steel and PET sound-absorbing structure. **HANDLE** Custom-designed black metal.
Interior	**INTERIOR PANELS** PET sheets laminated with recycled polyester fabric. **CARPET** Antistatic and stain resistant low loop pile carpet. **TABLE** Table top is birch plywood laminated with white, black anti-fingerprint, oak or walnut veneer. **TABLE LEG** Smooth black adjustable table leg or structure black metal fixed table leg.
Furniture dimensions	**TABLE** 116.8 × 60,0 cm / 46.9 × 23.6 in (w, d). **TABLE HEIGHT** Fixed desk: 27.6 in / 70 cm Height-adjustable desk: 68,7 - 118,7 cm / 27 - 46.7 in. **MAX LOAD FOR THE TABLE** 60 kg / 132.3 lb.
Optional accessories	**DUAL-MONITOR STAND**Includes single monitor support (up to 45") by default. Optional dual-monitor upgrade available (supports two up to 27" screens in landscape or portrait orientation). **PRIVACY FILM** Add Framery's privacy film to the glass surfaces of the pod for visual privacy. Requires professional installers. **FRAMERY ROOM DISPLAY KIT** Add Framery Room Display outside your smart pod with our full kit: exterior tablet mount, tablet holder and tablet. Same as Smart Pod Kit in Smart Office portfolio. **SMART LOCK** Locking capability with different entry methods. **KICKPLATE** Protects interior panel from scuffs and everyday wear. Size: 38 × 54 cm / 21.3 × 15.0 in (h, w). (Deliveries start in March 2027)

DIMENSIONS / TABLE / TOP VIEW



DIMENSIONS / TABLE / FRONT VIEW



Framery One Work / Technical specifications

POWER AND OTHER

Power	**POWER CONSUMPTION** Default settings 48.5 W. Highest settings 101 W. Standby mode 14.2 W. **INPUT** 230 VAC, 10 A*, 60 Hz. **OUTPUT AC (POWER OUTLET)** 120 - 230 VAC, 6 A, 60 Hz. **OUTPUT USB-C PD CHARGE PORT** 140W. **OUTLETS** 2 × on-table power outlets, 3 × under-table power outlets. Optional: 2 × USB-C PD charge ports (140 W), 1-2 × LAN port (with cable). *North America: NEMA 5-15P (120v 3-prong) *India: 16A
Door handedness	Left-handed by default (cannot be changed).
Movability	Relocate the pod without the need for disassembly by adding casters with a movability kit. The kit is reusable. Multiple pods can be moved with one kit.

SAFETY


Fire safety	No fire hazardous materials are used in Framery pods. The fire safety of all surface materials, upholstery and acoustics materials of our products are tested and classified by either national or international standards. Framery provides additional safety measurements to adhere to local regulatory requirements.
Seismic safety	Framery pods comply with seismic testing in accordance with ASCE 7-16 and are designed for easy floor anchoring.

SHIPPING CRATE DIMENSIONS

Crate 1	**DIMENSIONS** 223 x 72 x 115 cm / 87.8 x 28.3 x 45.3 in. **WEIGHT** 367 kg / 809.1 lb.
Crate 2	**DIMENSIONS** 227 x 77 x 144 cm / 89.4 x 30.3 x 56.7 in. **WEIGHT** 209 kg / 460.8 lb.

DIMENSIONS / POWER CORD SPECIFICATIONS

Power cord outlet always on right side of the pod (table side) Cord can be lead from the floor and roof.



framery

Framery Four™





Framery Four is a smart office meeting pod for up to 4 people. This multifunctional soundproof meeting space is engineered for face-to-face meetings and hybrid work from the office. Fine-tuned acoustics and soundproofing provides privacy for discussions and virtual calls. Framery Four's adaptive ventilation and automated lighting let you focus on what really matters and have a successful workday.

The smart and soundproof office meeting pod

framery

Framery Four / Product highlights



Workdays that flow with ease

Framery Four has been purposefully designed to make your workdays flow better. Find and book the pod in advance or on-the-fly from the Framery app. Or step inside and the pod automatically creates a reservation for you. Extend your reservation directly from the pod's touchscreen, or adjust your booking through the app.

Privacy you can trust

The fine-tuned acoustic structure provides A-Class soundproofing that allows the pod to be placed next to workstations without causing noise distractions to the user or to those outside of the pod. And echo-free interior acoustics make the pod a private, comfortable place for work and video calls. Visual privacy films maintain focus even in high-traffic areas.

Airflow that keeps you fresh

The pod recognizes when it's occupied, senses the number of people, the temperature and humidity of the surroundings, and triggers adjustments to the airflow accordingly. Enhanced ventilation fully refreshes the air every minute, and ventilation can be easily adjusted through the pod's touchscreen.

Lighting that makes you feel good

Multiple automated light sources adapt to your needs, with preset lighting options to choose between work or video modes. Video-optimized lighting helps you shine on video calls. Adjustments can be made quickly and easily through the touchscreen display.

Framery Four / Tech features



1. A-CLASS SOUNDPROOFING

Guaranteed privacy with fine-tuned Class A speech level reduction of 30dB – and the industry's top ISO 23351-1 rating for office phone booths.

2. FRAMERY OFFICE SOUND MASKING SYSTEM™

The embedded system is based on patent-pending technology that reduces noise distractions and protects speech privacy in office environments by adding a subtle, unobtrusive background sound outside of the pod. This ambient background noise, similar to air flow, is specifically designed to blend in with the office's noise atmosphere – making sounds less intelligible and therefore less distracting.

3. ADAPTIVE VENTILATION

Proprietary design enables unparalleled ventilation with maximum airflow of 100 l/s – surpassing industry standards around the world

4. TEMPERATURE & HUMIDITY SENSORS

Sensors inside the pod recognize the temperature and humidity of the office environment, and automatically optimize the airflow accordingly.

5. AUTOMATIC LIGHTING MODES

Multiple adjustable 4000K LED light sources allow you to seamlessly switch between video or work modes – or make manual adjustments for personalized illumination.

6. 8-INCH TOUCHSCREEN

An intuitive, 8-inch high-resolution touchscreen makes it easy to control pod settings, adjust lighting and airflow, and extend calendar reservations effortlessly.

7. AUTOMATIC UPGRADES

A built-in 4G connection enables automatic over-the-air software updates – initiated instantly and silently in the background.

8. MMWAVE RADAR PRESENCE DETECTION

Millimeter-wave radar sensors immediately detect when someone enters or leaves the pod, allowing lighting and ventilation to adjust accordingly.

Occupancy data is gathered and displayed through Framery Connect to provide information about when the pod is being used the most.

9. FRAMERY CONNECT™

Gain insights from occupancy data, initiate advanced bookability functionalities, and connect your Framery Four to the entire office to get valuable usage data needed to improve the layout and efficiency of your workplace.


10. BOOKABLE PODS

Make your smart pod book-able like any meeting room. The pod's touchscreen will show reservations and you can manage them on the spot.

framery

Framery Four / Design details

Framery Four easily fits any office thanks to its efficient size and sleek design. The interior is luxurious in space, easily fitting two comfortable sofas and lots of table space. The low threshold enables easy access. Choose from a variety of colors and interior options to make the pod fit your environment seamlessly. Framery Four is designed sustainable and built to last.



Framery Four's powder-coated exterior panels are made from deepdrawn and bended steel. Matt black structures made from aluminum create the framing, and sound-control laminated glass finish the structural support.



The pod chassis is made of a light steel structure. Replaceable interior paneling are made from PET sound-absorbing material. Anti-static, stain resistant low-loop pile carpeting covers the flooring.



In addition to industry-leading soundproofing, our privacy films offer smooth visual privacy for uninterrupted work.



The custom-designed table comfortably accommodates laptops, and built-in power outlets and optional coat hooks support all your office accessories. An optional adjustable monitor arm can be inserted directly into the table leg to support a 27" screen.



The sofas of Framery Four are specially designed to fit four people comfortably. Custom cushions are available for additional comfort and support.



An optional gather zone outside of Framery Four creates an additional meeting area, featuring a convenient add-on rail where a whiteboard or additional display can be attached.

Framery Four / Colors and finishes

EXTERIORS

- White (Standard) RAL 9016 Ultramatt
- Black (Standard) RAL 9005 Ultramatt
- Gray (Standard) S 7500 - N Ultramatt
- Navy S 7020 - R90B Ultramatt
- Sand S 2010 - Y20R Ultramatt
- Powder Blue 3421-R86B Ultramatt
- Winter Moss S 7010-G10Y Ultramatt
- Blush 2728-R01B Ultramatt

INTERIORS

- Pure Gray (Standard) Tonal #60123 Gabriel
- Arctic Blue Tonal #66185 Gabriel
- Sand Tonal #61180 Gabriel
- Rouge Tonal #64210 Gabriel

CARPETS

- Light Gray (Standard) Fletco carpets
- Dark Blue Fletco carpets
- Champagne Fletco carpets
- Grape Fletco carpets

TABLE TOPS

- White (Standard) White laminate
- Black Black Laminate with anti-fingerprint surface
- Oak Veneer

CUSHIONS FOR FRAMERY FOUR

- Charcoal Capture #5501 Gabriel
- Latte Capture #3301 Gabriel

SEATING FABRICS

- Graphite (Standard) Select #60051 Gabriel
- Dark Blue Select #66144 Gabriel
- Grape Select #61190 Gabriel
- Rose Select #65117 Gabriel
- Powder Blue Select #67098 Gabriel
- Beige Select #61184 Gabriel
- Green Select #68209 Gabriel
- Mustard Select #62098 Gabriel

PRIVACY FILMS

- Solid
- Line
- Grid

Design your own on our website

MATERIALS AND FINISHES



EXTERIOR PANELS made from steel feature a powder-coated matt finish. The lightweight panels are joined together seamlessly, with elegant curves that create a timeless design.



INTERIOR PANELS made from high-quality and recycled polyester have a vibrant and dynamic look thanks to the mix of the two-colored fabric.



SEATING MATERIALS are a blend of superior New Zealand wool and polyamid that form a soft and rich texture. The extremely durable fabrics are both dirt and water repellant.




CARPET FLOORING is anti-static, stain resistant, and durable, giving the pod an overall soft look and finish.

framery

Framery Four™

Technical specifications



Performance

Speech level reduction: 30dB
Max airflow: 100 l/s
Low energy consumption: 52W

Sustainable design

Built to last for decades
Light-weight product structures
Refurbishable & movable

Connectivity


Built-in 4G connection
Automatic software updates
Framery Connect digital services


Framery Four / Technical specifications


OVERVIEW

Soundproofing	**CLASS A** 30 DS,A (dB) reduction Speech level reduction DS,A (dB) is measured using ISO 23351-1. Pod can be placed next to workspaces without compromising privacy
Sound masking	**FRAMERY OFFICE SOUND MASKING SYSTEM™** A pre-fitted sound masking system improves the soundscape of the office outside the pods with an effective radius of 5 m / 16 ft
Ventilation	**MAXIMUM AIRFLOW** 100 l/s, 212 CFM (360.2 m³/h) **DEFAULT AIRFLOW** 78 l/s, 165 CFM (280 m³/h) when in use. After use, the pod refreshes itself with a higher ventilation speed. **STANDBY MODE** 40 l/s, 85 CFM, (144 m³/h) **ADJUSTABLE DIRECTIONAL AIRFLOW** Choose between direct and indirect airflow
Lighting	**CEILING LIGHT** Color temperature 4000K, illuminance up to 500lux on the table top. **VIDEO LIGHT** Color temperature 4000K, illuminance up to 350lux on the user's face. **PRE-SET LIGHTING MODES** Standard mode & Video call mode. Lighting can also be adjusted also manually
Presence detection	**SENSOR TECHNOLOGY** mmWave radar
Dimensions	**EXTERIOR** with air filter housing 232.9 × 235.2 × 129.2 cm / 91.7 × 92.6 × 50.9 in (h, w, d) **DOORWAY** 209.7 × 96.6 cm / 82.6 × 38 in (h, w) **WEIGHT** 520 kg / 1146.4 lb (Framery Four Base 460 kg / 1014.1lb) **THRESHOLD** 1.25 cm / 0.5 in
Touchscreen location	On the table (Framery Four Base: on the wall, right side)
Connectivity	Framery smart pods gather anonymous occupancy data, measuring when and how often spaces are used. Users in the space cannot be identified and no personally identifiable data is collected. The anonymous data is transferred via built-in 4G connectivity, or through a Wi-Fi connection and compiled and shown in the Framery Connect platform. **WLAN** Wi-Fi 802.11 a/b/g/n/ac 2.4&5 GHz

DIMENSIONS / MAIN VIEW







Framery Four is UL GREENGUARD GOLD certified

Framery Four shipped in North America is UL 962 listed

framery

Framery Four / Technical specifications

MATERIALS

Exterior & structure

EXTERIOR PANELS Powder coated matt steel panels. **FRAMES** Structure matt black aluminum **DOOR FRAME** Structure matt black aluminum **GLASS** Sound control laminated glass (4 + 4 mm / 0.16 + 0.16 in). **CHASSIS** Light steel and PET sound-absorbing structure **HANDLE** Custom-designed black metal

Interior materials

INTERIOR PANELS PET sheets laminated with recycled polyester fabric. **UPHOLSTERY FABRIC** Gabriel Tonal. **CARPET** Antistatic and stain resistant low loop pile carpet **CUSHIONS** Gabriel Capture. **TABLE** Table top is birch plywood laminated with white, black anti-fingerprint, or oak veneer **TABLE LEG** Structure black metal

Seating materials

UPHOLSTERY FABRIC Gabriel Select **FABRIC COMPOSITION** 85 % New Zealand wool / 15 % Polyamide **MARTINDALE** 200,000

Furniture dimensions

TABLE 70.6 cm × 90 cm / 27.8 × 35.4 in (w, d) Fixed height from floor 71.9 cm / 28.3 in **MAX LOAD FOR THE TABLE** 60 kg / 131 lb **SOFA** 110 × 60.5 cm (w, d) / 43.3 in × 23.8 in. Fixed seating height from floor 47 cm / 18.5 in (backrest height cm 78,5 / 30.9 in) **MAX LOAD FOR SOFA** 408 kg / 900 lb

Optional accessories

WHITEBOARD 102.2 x 112 cm / 40.2 x 44 in (h, w) **ROTATING MONITOR ARM** Max monitor size 24" - 27". Max weight 15 kg / 33 lbs with a flat 75 x 75 or 100 x 100 center-positioned VESA mounting surface. Monitor not included. **COAT HOOKS** Structure black metal **CUSHIONS** Gabriel Capture – 85 % New Zealand wool / 15 % Polyamide **EXTERIOR TABLET MOUNT** With easy set-up **SMART LOCK** Locking capability with different entry methods **PRIVACY FILM** Add Framery's privacy film to the glass surfaces of the pod for visual privacy. Requires professional installers.

SAFETY


Fire safety

No fire hazardous materials are used in Framery pods. The fire safety of all surface materials, upholstery and acoustics materials of our products are tested and classified by either national or international standards. Framery provides additional safety measurements to adhere to local regulatory requirements

Seismic safety

A seismic anchoring kit for a pod is available for the seismic regions. The kit consists of brackets that further reinforce the pod structure to withstand heavy seismic forces

DIMENSIONS / TOP VIEW



Framery Four / Technical specifications

POWER AND SPACE REQUIREMENTS

Power

FRAMERY FOUR ESSENTIALS OUTLETS 4 × under-table power outlets, 2 × USB-C PD charge ports (65 W). Optional: 2 × under-table power outlets (included with the monitor arm). Optional in-table outlets (max. 2): 0–1 x HDMI port, 0–2 × LAN ports (with cables)

FRAMERY FOUR LITE OUTLETS 4 × under-table power outlets. Optional: 2 × under-table power outlets (included with the monitor arm). Optional in-table outlets (max 4): 0–2 × USB-C PD charge ports (65 W), 0–1 x HDMI port, 0–4 × LAN ports (with cables)

FRAMERY FOUR BASE OUTLETS 4 × power outlets (2 x power outlets on each side of the pod). Optional outlets (max 4): 0–2 × USB-C PD charge ports (65 W), 0-4 × LAN ports (with cables)

POWER CONSUMPTION Default settings 52W. Highest settings 115W. Standby mode 20W. **INPUT** 100–240 VAC, 10 A*, 50–60 Hz. **OUTPUT AC (POWER OUTLET)** 100–240 VAC (8 A max) 50–60 Hz. **OUTPUT USB-C PD CHARGE PORT** 65W

*North America: NEMA 5-15P (120v 3-prong)
*India: 16A

Space requirements

DOOR SWING ANGLE 180°

Door handedness

Left-handed by default (can also be installed right-handed)

Movability

Relocate the pod without the need for disassembly by adding casters with a movability kit. Compatible with Framery Four and Six. The kit is reusable. Multiple pods can be moved with one kit

SHIPPING CRATE DIMENSIONS

Crate 1


SIZE 226 × 75 × 138 cm / 90 × 29.5 × 54.3 in (l, w, h). **WEIGHT** 278 kg / 612.9 lb

Crate 2

SIZE 224 × 74 × 114 cm / 88.2 × 29.1 × 44.9 in (l, w, h). **WEIGHT** 395 kg / 870.8 lb

Crate 1 is stacked on top of Crate 2.


DIMENSIONS / POWER CORD SPECIFICATIONS



See all pod dimensions.

framery

Framery Four Accessible™





Framery Four Accessible is a fully accessible smart office meeting pod. This soundproof meeting space is ADA compliant - featuring folding furniture, a low threshold, and a T-shaped turning space. Packed with the same advanced technology and functionality as the entire line of Framery smart pods, Framery Four Accessible is a comfortable, adaptive, and multifunctional space for meetings and hybrid work.

The smart and accessible soundproof meeting pod

framery™

Framery Four Accessible / Product highlights



Workdays that flow with ease

Framery Four Accessible has been purposefully designed to make your workdays flow better. Find and book the pod in advance or on-thefly from the Framery app. Or step inside and the pod automatically creates a reservation for you. Extend your reservation directly from the pod's touchscreen, or adjust your booking through the Framery app.

Privacy you can trust

The fine-tuned acoustic structure provides A-Class soundproofing that allows the pod to be placed next to workstations without causing noise distractions to the user or to those outside of the pod. And echo-free interior acoustics make the pod a private, comfortable place for work and video calls. Visual privacy films maintain focus even in high-traffic areas.

Airflow that keeps you fresh

The pod recognizes when it's occupied, senses the number of people, the temperature and humidity of the surroundings, and triggers adjustments to the airflow accordingly. Enhanced ventilation fully refreshes the air every minute, and ventilation can be easily adjusted through the pod's touchscreen display.

Lighting that makes you feel good

Multiple automated light sources adapt to your needs, with preset lighting options to choose between work or video modes. Video-optimized lighting helps you shine on video calls. Adjustments can be made quickly and easily through the touchscreen display.

Framery Four Accessible / Tech features



1. A-CLASS SOUNDPROOFING

Guaranteed privacy with fine-tuned Class A speech level reduction of 30dB - and the industry's top ISO 23351-1 rating for office meeting pods.

2. FRAMERY OFFICE SOUND MASKING SYSTEM™

The embedded system is based on patent-pending technology that reduces noise distractions and protects speech privacy in office environments by adding a subtle, unobtrusive background sound outside of the pod. This ambient background noise, similar to air flow, is specifically designed to blend in with the office's noise atmosphere – making sounds less intelligible and therefore less distracting.

3. ADAPTIVE VENTILATION

Proprietary design enables unparalleled ventilation with maximum airflow of 100 l/s – surpassing industry standards around the world.

4. TEMPERATURE & HUMIDITY SENSORS

Sensors inside the pod recognize the temperature and humidity of the office environment, and automatically optimize the airflow accordingly

5. AUTOMATIC LIGHTING MODES

Multiple adjustable 4000K LED light sources allow you to seamlessly switch between video or work modes – or make manual adjustments for personalized illumination.

6. 8-INCH TOUCHSCREEN

An intuitive, 8-inch high-resolution touchscreen makes it easy to control pod settings, adjust lighting and airflow, and extend calendar reservations effortlessly.

7. AUTOMATIC UPGRADES

A built-in 4G connection enables automatic over-the-air software updates – initiated instantly and silently in the background.

8. MMWAVE RADAR PRESENCE DETECTION

Millimeter-wave radar sensors immediately detect when someone enters or leaves the pod, allowing lighting and ventilation to adjust accordingly.

Occupancy data is gathered and displayed through Framery Connect to provide information about when the pod is being used the most.

9. FRAMERY CONNECTTM

Gain insights from occupancy data, initiate advanced bookability functionalities, and connect your Framery Four to the entire office to get valuable usage data needed to improve the layout and efficiency of your workplace.

10. BOOKABLE PODS

Make your smart pod bookable like any meeting room. The pod's touchscreen will show reservations and you can manage them on the spot.

framery

Framery Four Accessible / Design details

Designed according to ADA standards, Framery Four Accessible combines the sophisticated engineering of Framery smart pods with accommodating features to improve usability even further. A door opening ratio of 180°, a structured black metal pull bar, and an easy-to-reach accessory rail make Framery Four Accessible an equitable private space for every user.



Framery Four Accessible features a face-to-face layout designed to support better meetings. The meeting pod is furnished with a sturdy table and comfortable twin sofas that easily fold up to enable access to the pod and create a T-shaped turning space.



Designed for modern work, Framery Four Accessible utilizes advanced technology to create the perfect atmosphere for any meeting. With the industry's most powerful adaptive ventilation system, video-optimized lighting, and two preset lighting modes for video or focused work.




The low threshold (1.27 cm / 0.5 in) and the external platform makes it easy to access the pod with a wheelchair.



Outlets, charge ports, and an 8-inch touchscreen are embedded in a convenient accessory bar and placed within operative height.



The door has a door opening ratio of 180° and sturdy black metal pull bar for opening and closing the door effortlessly.



The folding table serves as a functional work desk. The folding sofas have been designed without compromising the seating comfort.

Framery Four Accessible / Colors and finishes

EXTERIORS

- White (Standard) RAL 9016 Ultramatt
- Black (Standard) RAL 9005 Ultramatt
- Gray (Standard) S 7500 - N Ultramatt
- Navy S 7020 - R90B Ultramatt
- Sand S 2010 - Y20R Ultramatt
- Powder Blue 3421-R86B Ultramatt
- Winter Moss S 7010-G10Y Ultramatt
- Blush 2728-R01B Ultramatt

INTERIORS

- Pure Gray (Standard) Tonal #60123 Gabriel
- Arctic Blue Tonal #66185 Gabriel
- Sand Tonal #61180 Gabriel
- Rouge Tonal #64210 Gabriel

CARPETS

- Light Gray (Standard) Fletco carpets
- Dark Blue Fletco carpets
- Champagne Fletco carpets
- Grape Fletco carpets

TABLE TOPS

- White (Standard) White laminate
- Black Black Laminate with anti-fingerprint surface
- Oak Veneer

CUSHIONS FOR FRAMERY FOUR

- Charcoal Capture #5501 Gabriel
- Latte Capture #3301 Gabriel

SEATING FABRICS

- Graphite (Standard) Select #60051 Gabriel
- Dark Blue Select #66144 Gabriel
- Grape Select #61190 Gabriel
- Rose Select #65117 Gabriel
- Powder Blue Select #67098 Gabriel
- Beige Select #61184 Gabriel
- Green Select #68209 Gabriel
- Mustard Select #62098 Gabriel

PRIVACY FILMS

- Solid
- Line
- Grid

Design your own on our website

MATERIALS AND FINISHES



EXTERIOR PANELS made from steel feature a powder-coated matt finish. The lightweight panels are joined together seamlessly, with elegant curves that create a timeless design.



INTERIOR PANELS made from high-quality and recycled polyester have a vibrant and dynamic look thanks to the mix of the two-colored fabric.



SEATING MATERIALS are a blend of superior New Zealand wool and polyamid that form a soft and rich texture. The extremely durable fabrics are both dirt and water repellant.




CARPET FLOORING is anti-static, stain resistant, and durable, giving the pod an overall soft look and finish.

framery

Framery Four Accessible™

Technical specifications



Performance

Speech level reduction: 30dB
Max airflow: 100 l/s
Low energy consumption: 52W

Accessibility

T-shaped turning space
Low threshold and external platform
Folding furniture

Connectivity


Built-in 4G connection
Automatic software updates
Framery Connect digital services


Framery Four Accessible / Technical specifications

OVERVIEW

Soundproofing	**CLASS A** 30 DS,A (dB) reduction. Speech level reduction DS,A (dB) is measured using ISO 23351-1. Pod can be placed next to workspaces without compromising privacy
Sound masking	**FRAMERY OFFICE SOUND MASKING SYSTEM™** A pre-fitted sound masking system improves the soundscape of the office outside the pods with an effective radius of 5 m / 16 ft
Ventilation	**MAXIMUM AIRFLOW** 100 l/s, 212 CFM (360.2 m³/h). **DEFAULT AIRFLOW** 78 l/s, 165 CFM (280 m³/h) when in use. After use, the pod refreshes itself with a higher ventilation speed. **STANDBY MODE** 40 l/s, 85 CFM, (144 m³/h). **ADJUSTABLE DIRECTIONAL AIRFLOW** Choose between direct and indirect airflow
Lighting	**CEILING LIGHT** Color temperature 4000K, illuminance up to 500lux on the table top. **VIDEO LIGHT** Color temperature 4000K, illuminance up to 350lux on the user's face. **PRE-SET LIGHTING MODES** Standard mode & Video call mode. Lighting can also be adjusted also manually
Presence detection	**SENSOR TECHNOLOGY** mmWave radar
Dimensions	**EXTERIOR WITH AIR FILTER HOUSING** 232.9 × 235.2 × 129.2 cm / 91.7 × 92.6 × 50.9 in (h, w, d). **DOORWAY** 209.7 × 96.6 cm / 82.6 × 38 in (h, w). **WEIGHT** 560 kg / 1234.6 lb. **THRESHOLD** 1.27 cm / 0.5 in
Touchscreen location	On the right side of the table, on the accessory rail
Connectivity	Framery smart pods gather anonymous occupancy data, measuring when and how often spaces are used. Users in the space cannot be identified and no personally identifiable data is collected. The anonymous data is transferred via built-in 4G connectivity, or through a Wi-Fi connection and compiled and shown in the Framery Connect platform. **WLAN** Wi-Fi 802.11 a/b/g/n/ac 2.4&5 GHz

DIMENSIONS / MAIN VIEW





Framery Four Accessible is UL GREENGUARD GOLD certified

Framery Four Accessible shipped in North America is UL 962 listed

framery

Framery Four Accessible / Technical specifications


MATERIALS


Exterior & structure	**EXTERIOR PANELS** Powder coated matt steel panels. **FRAMES** Structure matt black aluminum. **DOOR FRAME** Structure matt black aluminum. **GLASS** Sound control laminated glass (4 + 4 mm / 0.16 + 0.16 in) **CHASSIS** Light steel and PET soundabsorbing structure . **HANDLE AND PULL BAR** Custom-designed black metal **DOOR KICK PLATES** Black metal
Interior materials	**INTERIOR PANELS** PET sheets laminated with recycled polyester fabric **UPHOLSTERY FABRIC** Gabriel Tonal **CARPET** Antistatic and stain resistant low loop pile carpet. **TABLE TOP** is birch plywood laminated with white, black anti-fingerprint, or oak. **TABLE LEG AND ACCESSORY RAIL** Structure black metal
Seating materials	**UPHOLSTERY FABRIC** Gabriel Select **FABRIC COMPOSITION** 85 % New Zealand wool / 15 % Polyamide **MARTINDALE** 200,000
Furniture dimensions	**FOLDING TABLE** 63.3 x 87 cm / 24.9 x 34.3 in (w, d). Fixed height from floor 71.9 cm / 28.3 in. Forces: max 22.2N. **FOLDING SOFA** width 110 cm / in. Fixed seating height from floor 48.5 cm / 19 in. Max load for the sofa: 408 kg / 900 lb. **PULL BAR** Height from pod floor: 92.1 cm / 36.3 in
Optional accessories	**WHITEBOARD** 102.2 x 112 cm / 40.2 x 44 in (h, w) **COAT HOOKS** Structure black metal **EXTERIOR TABLET MOUNT** With easy set-up **SMART LOCK** Locking capability with different entry methods. **PRIVACY FILM** Add Framery's privacy film to the glass surfaces of the pod for visual privacy. Requires professional installers.

SAFETY

Fire safety	No fire hazardous materials are used in Framery pods. The fire safety of all surface materials, upholstery and acoustics materials of our products are tested and classified by either national or international standards. Framery provides additional safety measurements to adhere to local regulatory requirements
Seismic safety	A seismic anchoring kit for a pod is available for the seismic regions. The kit consists of brackets that further reinforce the pod structure to withstand heavy seismic forces.

DIMENSIONS / TOP VIEW





Framery Four Accessible / Technical specifications


POWER AND SPACE REQUIREMENTS

Power	**FRAMERY FOUR ACCESSIBLE OUTLETS** 4 × power outlets (2 on both sides of the table attached to the accessory rail). Optional additional outlets (max 4): 0–2 × USB-C PD charge ports (65 W), 0–4 × LAN ports (with cables) **POWER CONSUMPTION** Default settings 52W. Highest settings 115W. Standby mode 20W. **INPUT** 100–240 VAC, 10 A*, 50–60 Hz **OUTPUT AC (POWER OUTLET)** 100–240 VAC (8 A max) 50–60 Hz **OUTPUT USB-C PD CHARGE PORT** 65W *North America: NEMA 5-15P (120v 3-prong) *India: 16A
Space requirements	**DOOR SWING ANGLE** 180°
Door handedness	Left-handed by default (can also be installed right-handed)
Movability	Relocate the pod without the need for disassembly by adding casters with a movability kit. Compatible with Framery Four and Six. The kit is reusable. Multiple pods can be moved with one kit

SHIPPING CRATE DIMENSIONS

Crate 1	**SIZE** 226 × 75 × 138 cm / 90 × 29.5 × 54.3 in (l, w, h **WEIGHT** 278 kg / 612.9 lb
Crate 2	**SIZE** 224 × 74 × 114 cm / 88.2 × 29.1 × 44.9 in (l, w, h). **WEIGHT** 395 kg / 870.8 lb Crate 1 is stacked on top of Crate 2

DIMENSIONS / POWER CORD SPECIFICATIONS



See all pod dimensions.

framery

Framery Six™





Framery Six is a smart meeting room for up to 6 people. This multifunctional soundproof meeting space is tailored for collaborative teamwork and enhanced for face-to-face and hybrid brainstorming sessions. With finely-tuned acoustics and top-notch soundproofing, it ensures privacy during discussions and virtual meetings. Framery Six's adaptive ventilation and automated lighting ensure your team can focus on what really matters and have a successful workday.

The smart and soundproof office meeting room

framery



Workdays that flow with ease

Framery Six has been purposefully designed to make your workdays flow better. Find and book the pod in advance or on-the-fly from the Framery app. Or step inside and the pod automatically creates a reservation for you. Extend your reservation directly from the pod's touchscreen, or adjust your booking through the app.

Privacy you can trust

The fine-tuned acoustic structure provides A-Class soundproofing that allows the pod to be placed next to workstations without causing noise distractions to the user or to those outside of the pod. And echo-free interior acoustics make the pod a private, comfortable place for work and video calls. Visual privacy films maintain focus even in high-traffic areas.

Airflow that keeps you fresh

The pod recognizes when it's occupied, senses the number of people, the temperature and humidity of the surroundings, and triggers adjustments to the airflow accordingly. Enhanced ventilation fully refreshes the air every minute, and ventilation can be easily adjusted through the pod's touchscreen.

Lighting that makes you feel good

Multiple automated light sources adapt to your needs, with preset lighting options to choose between work or video modes. Video-optimized lighting helps you shine on video calls. Adjustments can be made quickly and easily through the touchscreen display.



1. A-CLASS SOUNDPROOFING

Guaranteed privacy with fine-tuned Class A speech level reduction of 30dB – and the industry's top ISO 23351-1 rating for office phone booths.

2. FRAMERY OFFICE SOUND MASKING SYSTEM™

The embedded system is based on patent-pending technology that reduces noise distractions and protects speech privacy in office environments by adding a subtle, unobtrusive background sound outside of the pod. This ambient background noise, similar to air flow, is specifically designed to blend in with the office's noise atmosphere – making sounds less intelligible and therefore less distracting.

3. ADAPTIVE VENTILATION

Proprietary design enables unparalleled ventilation with maximum airflow of 187 l/s – surpassing industry standards around the world.

4. TEMPERATURE & HUMIDITY SENSORS

Sensors inside the pod recognize the temperature and humidity of the office environment, and automatically optimize the airflow accordingly.

5. AUTOMATIC LIGHTING MODES

Multiple adjustable 4000K LED light sources allow you to seamlessly switch between video or work modes – or make manual adjustments for personalized illumination.

6. 8-INCH TOUCHSCREEN

An intuitive, 8-inch high-resolution touchscreen makes it easy to control pod settings, adjust lighting and airflow, and extend calendar reservations effortlessly.

7. AUTOMATIC UPGRADES

A built-in 4G connection enables automatic over-the-air software updates – initiated instantly and silently in the background.

8. MMWAVE RADAR PRESENCE DETECTION

Millimeter-wave radar sensors immediately detect when someone enters or leaves the pod, allowing lighting and ventilation to adjust accordingly.

Occupancy data is gathered and displayed through Framery Connect to provide information about when the pod is being used the most.

9. FRAMERY CONNECT™

Gain insights from occupancy data, initiate advanced bookability functionalities, and connect your Framery Six to the entire office to get valuable usage data needed to improve the layout and efficiency of your workplace.

10. BOOKABLE PODS

Make your smart pod bookable like any meeting room. The pod's touchscreen will show reservations and you can manage them on the spot.


framery

Framery Six / Design details

Framery Six combines the best features of a larger meeting room in a convenient, modular package. The luxurious and spacious interior comes equipped with a proper-sized meeting table that can be complemented with your own choice of seats. The pod's low threshold enables easy access, and the minimalistic design approach uses carefully curated materials, making it a sustainable choice.



Framery Six is designed to bring teams together - whether you're meeting face-to-face or collaborating online. The space is tailored for collaborative teamwork, and enhanced for face-to-face and hybrid brainstorming sessions.



The optional gather zone outside of Framery Six creates an additional meeting area, featuring matching carpet and a convenient add-on rail where a whiteboard or additional display can be attached. This effectively doubles the amount of working space that Framery Six can offer.




The exterior occupancy lights show at a glance whether the pod is available or already taken.



The custom-designed table comfortably accommodates an entire team, and built-in power outlets and optional coat hooks support all your office accessories.



An optional interior whiteboard can be provided to make it even easier to collaborate participants during meetings.



In addition to industry-leading soundproofing, our privacy films offer smooth visual privacy for uninterrupted work.

Framery Six / Colors and finishes

EXTERIORS

- White (Standard) RAL 9016 Ultramatt
- Black (Standard) RAL 9005 Ultramatt
- Gray (Standard) S 7500 - N Ultramatt
- Navy S 7020 - R90B Ultramatt
- Sand S 2010 - Y20R Ultramatt
- Powder Blue 3421-R86B Ultramatt
- Winter Moss S 7010-G10Y Ultramatt
- Blush 2728-R01B Ultramatt

INTERIORS

- Pure Gray (Standard) Tonal #60123 Gabriel
- Arctic Blue Tonal #66185 Gabriel
- Sand Tonal #61180 Gabriel
- Rouge Tonal #64210 Gabriel

CARPETS

- Light Gray (Standard) Fletco carpets
- Dark Blue Fletco carpets
- Champagne Fletco carpets
- Grape Fletco carpets

TABLE TOPS

- White (Standard) White laminate
- Black Black Laminate with anti-fingerprint surface
- Oak Veneer

PRIVACY FILMS

- Solid
- Line
- Grid

Design your own on our website

MATERIALS AND FINISHES



EXTERIOR PANELS made from steel feature a powder-coated matt finish. The lightweight panels are joined together seamlessly, with elegant curves that create a timeless design.



INTERIOR PANELS made from high-quality and recycled polyester have a vibrant and dynamic look thanks to the mix of the two-colored fabric.



SEATING MATERIALS are a blend of superior New Zealand wool and polyamid that form a soft and rich texture. The extremely durable fabrics are both dirt and water repellant.




CARPET FLOORING is anti-static, stain resistant, and durable, giving the pod an overall soft look and finish.

framery

Framery Six™

Technical specifications



Performance

Speech level reduction: 30dB
Max airflow: 187 l/s
Low energy consumption: 145W

Sustainable design

Built to last for decades
Light-weight product structures
Refurbishable & movable

Connectivity


Built-in 4G connection
Automatic software updates
Framery Connect digital services


Framery Six / Technical specifications


OVERVIEW

Soundproofing	**CLASS A** 30 DS,A (dB) reduction Speech level reduction DS,A (dB) is measured using ISO 23351-1. Pod can be placed next to workspaces without compromising privacy
Sound masking	**FRAMERY OFFICE SOUND MASKING SYSTEM™** A pre-fitted sound masking system improves the soundscape of the office outside the pods with an effective radius of 5 m / 16 ft
Ventilation	**MAXIMUM AIRFLOW** 187 l/s, 397 CFM (674.6 m³/h) **DEFAULT AIRFLOW** 149 l/s, 316 CFM (536 m³/h) when in use. After use, the pod refreshes itself with a higher ventilation speed. **ON STANDBY MODE** 76 l/s, 161 CFM (274 m³/h) **ADJUSTABLE DIRECTIONAL AIRFLOW** Choose between direct and indirect airflow
Lighting	**CEILING LIGHT** Color temperature 4000K, illuminance up to 500lux on the table top. **VIDEO LIGHT** Color temperature 4000K, illuminance up to 350lux on the user's face. **PRE-SET LIGHTING MODES** Standard mode & Video call mode. The lighting can also be adjusted manually
Presence detection	**SENSOR TECHNOLOGY** mmWave radar
Dimensions	**EXTERIOR** with air filter housing 232.9 × 235.2 × 263.2 cm / 91.7 × 92.6 × 103.6 in (h, w, d) **DOORWAY** 209.7 × 96.6 cm / 82.6 × 38 in (h, w) **WEIGHT** 718 kg / 1582.9 lb (Framery Six Base 693 kg / 1527.8 lb) **THRESHOLD** 1.25 cm / 0.5 in
Touchscreen location	On the table (Framery Six Base: on the wall)
Connectivity	Framery smart pods gather anonymous occupancy data, measuring when and how often spaces are used. Users in the space cannot be identified and no personally identifiable data is collected. The anonymous data is transferred via built-in 4G connectivity, or through a Wi-Fi connection and compiled and shown in the Framery Connect platform. **WLAN** Wi-Fi 802.11 a/b/g/n/ac 2.4&5 GHz

DIMENSIONS / MAIN VIEW







Framery Six is UL GREENGUARD GOLD certified

Framery Six shipped in North America is UL 962 listed

framery

Framery Six / Technical specifications


MATERIALS

Exterior & structure	**EXTERIOR PANELS** Powder coated matt steel panels **FRAMES** Structure matt black aluminum. **DOOR FRAME** Structure matt black aluminum **GLASS** Sound control laminated glass (4 + 4 mm / 0.16 + 0.16 in) **CHASSIS** Light steel and PET sound-absorbing structure **HANDLE** Custom designed black metal
Interior materials	**INTERIOR PANELS** PET sheets laminated with recycled polyester fabric **UPHOLSTERY FABRIC** Gabriel Tonal **CARPET** Antistatic and stain resistant low loop pile carpet. **TABLE** Table top is birch plywood laminated with white, black anti-fingerprint, or oak veneer. **TABLE LEG** Structure black metal
Furniture dimensions	**TABLE** 94 cm × 140 cm / 37 in × 55.1 in (w, d) Fixed height from floor 71.2 cm / 28 in **MAX LOAD FOR THE TABLE** 60 kg / 131 lb
Optional accessories	**WHITEBOARD** 102.3 × 206.3 cm / 40.3 × 81.2 in (h, w) **MONITOR WALL MOUNT** Maximum monitor size 50". Maximum weight 30 kg / 66 lbs with flat VESA 100 × 100, 200 × 100, 200 × 200, 300 × 200, 300 × 300, 400 × 200, 400 × 300 or 400 × 400 mounting surface. Monitor not included. Possibility to mount on both walls. **COAT HOOKS** Structure black metal **EXTERIOR TABLET MOUNT** With easy set-up. **GATHER ZONE** Includes the same whiteboard and monitor wall mount as interior, and additional exterior carpet **SMART LOCK** Locking capability with different entry methods. **PRIVACY FILM** Add Framery's privacy film to the glass surfaces of the pod for visual privacy. Requires professional installers.

SAFETY

Fire safety	No fire hazardous materials are used in Framery pods. The fire safety of all surface materials, upholstery and acoustics materials of our products are tested and classified by either national or international standards. Framery provides additional safety measurements to adhere to local regulatory requirements
Seismic safety	A seismic anchoring kit for a pod is available for the seismic regions. The kit consists of brackets that further reinforce the pod structure to withstand heavy seismic forces

DIMENSIONS / TOP VIEW



Framery Six / Technical specifications


POWER AND SPACE REQUIREMENTS

Power	**FRAMERY SIX ESSENTIALS OUTLETS** 2 × on-table outlets, 2 × under-table power outlets, 2 × in-table USB-C PD charge ports (65 W). Optional 2 x under-table power outlets. Optional in-table outlets (max 2) 0–1 x HDMI port, 0–2 × LAN ports (with cables) **FRAMERY SIX LITE OUTLETS** 2 × on-table power outlets, 2 × under-table power outlets. Optional 2 x under-table power outlets. Optional in-table outlets (max 4) 0–2 × USB-C PD charge ports (65 W), 0–1 x HDMI port, 0-4 × LAN ports (with cables) **FRAMERY SIX BASE OUTLETS** 4 × power outlets on the same side of the pod as the touchscreen. Optional outlets (max 4): 0–2 × USB-C PD charge ports (65 W), 0-4 × LAN ports (with cables) **POWER CONSUMPTION** Default settings 145W. Highest settings 202W. Standby mode 28W. **INPUT** 100–240 VAC, 10 A*, 50–60 Hz. **OUTPUT AC (POWER OUTLET)** 100– 40 VAC (8 A max) 50–60 Hz. **OUTPUT USB-C PD CHARGE PORT** 65W *North America: NEMA 5-15P (120v 3-prong) *India: 16A
Space requirements	**DOOR SWING ANGLE** 180°
Door handedness	Left-handed by default (can also be installed right-handed)
Movability	Relocate the pod without the need for disassembly by adding casters with a movability kit. Compatible with Framery Four and Six. The kit is reusable. Multiple pods can be moved with one kit

SHIPPING CRATE DIMENSIONS

Crate 1	**SIZE** 222 × 89 × 149 cm / 87.4 × 35 × 58.7 in (l, w, h). **WEIGHT** 392 kg / 864 lb
Crate 2	**SIZE** 224 × 113 × 116 cm / 88.2 × 44.5 × 46.7 in (l, w, h). **WEIGHT** 505 kg / 1113 lb
	Crate 1 is stacked on top of Crate 2

DIMENSIONS / POWER CORD SPECIFICATIONS



See all pod dimensions.

framery


Framery smart office solutions are workplace tools that help workplace managers make data-driven office design decisions and access workplace insights through intuitive dashboards. The seamless room booking solutions deliver a premium employee experience.
Pair the solutions with Framery smart pods, or turn any office space into a smart workspace.



NEW


Framery Room Sensor™

WORKPLACE MANAGEMENT Utilize private and advanced occupancy and people-counting data to create the ideal work environment for both focused solo work and collaboration. Identify underutilized and improperly used spaces to make precise layout adjustments, effectively cutting costs and maximizing real estate ROI.



Framery Connect™

WORKPLACE MANAGEMENT
A smart platform for workplace management.




Framery Room Display™

ROOM BOOKING SOLUTIONS
See availability and book any room with ease.



Framery Space Overview™

ROOM BOOKING SOLUTIONS
Shows real-time availability of nearby spaces.



Framery App™

ROOM BOOKING SOLUTIONS
Find and book spaces in seconds.

Accessory kits

Add a complete hardware kit for your Framery Room Display and Space Overview, or use your own equipment.

Automatic updates

Instantly receive software updates through your smart pod's 4G connection to enable the future developments.

Privacy assured

No identifiable user data is collected —only workspace occupancy information is tracked.

FREE SUBSCRIPTION FOR NEW SMART POD OWNERS

Receive a complimentary 3-month Plus subscription, giving access to all our smart office solutions.

Read more

The furniture industry faces a systemic waste crisis, with approximately 80% of products ending up in landfill. Framery addresses this problem by maximizing the useful life of every asset by pioneering material and design innovation—ensuring our smart pods can be repaired and refurbished rather than replaced. Underpinned by high-trust, third-party frameworks, our products are engineered to deliver decades of service.

Verifiable Sustainability & High-Trust Frameworks

At Framery, sustainability is a strategic driver of market leadership rooted in data-driven transparency, science-based targets, and third-party validation:

- Science Based Targets initiative (SBTi): Framery is committed to targets aligned with limiting global warming to 1.5°C. Having reduced absolute Scope 1 and 2 emissions by 52% in 2025, we remain on track toward our 2030 target of a 50% absolute Scope 1 & 2 reduction and a 52% Scope 3 economic intensity reduction per EUR value added (from a 2024 base year).
- Third-Party Verified Data (EPDs): Over 90% of our smart pods' mass is modeled using supplier-specific data rather than industry averages. We publish third-party verified Environmental Product Declarations (EPDs), Health Product Declarations (HPDs), and Declare labels to satisfy the rigorous value-chain reporting needs of global organizations.
- Supply Chain Integrity & Governance: Framery holds an EcoVadis Gold Medal sustainability rating, placing the company among the top 5% of assessed companies globally. Furthermore, 99.7% of our supplier spend is covered by our renewed Supplier Code of Conduct.

Circularity by Design & Material Innovation

Framery smart pods are engineered to maximize usefulness while minimizing environmental impact:

- Mono-Material Engineering: Smart pods are built primarily from high-grade, easily recyclable mono-materials, such as steel, aluminum, glass, and acoustic PET, to simplify end-of-life recycling and support a closed-loop economy.
- Modular Serviceability: Every pod features an adaptable, modular architecture with easily replaceable components, enabling seamless repairs, upgrades, and relocations.
- Proven Durability: Engineered to withstand heavy daily office use, our pods are built to last—with units in active use logging over 15,000 work sessions without compromising quality or performance.

Software-Driven Efficiency

Sustainability extends beyond manufacturing into everyday office operations. Framery integrates physical workspaces with digital software to ensure every pod delivers maximum utility throughout its lifespan:

- Over-the-Air (OTA) Energy Optimization: Through software-driven adaptive airflow, optimized ventilation modes, and intelligent lighting, smart pods automatically minimize electricity consumption during default work, video call, idle, and refresh states.
- Maximizing Space & Asset Utilization: In 2025 alone, users spent a total of 1,344 years inside Framery workspaces across over 27 million work sessions. Framery's Smart Office Solutions provides fine-grained, data-driven usage analytics. By helping organizations optimize footprint efficiency, our solutions prevent unnecessary physical expansion and maximize the productive life of every asset.

Certificates and studies available:

- Life Cycle Assessment (LCA)
- Environmental Product Declarations (EPDs)
- Health Product Declarations (HPD)
- Declare labels
- Möbelfakta
- UL GREENGUARD Gold
- Contribution to green building certifications such as LEED certifications, BREEAM, SKA and WELL

GOLD | Top 5% ecovadis Sustainability Rating MAY 2026

Framery has been awarded with a Gold Medal sustainability rating from Ecovadis sustainability – placing us among the top 5 % percent of companies assessed in the past year.

IBCCES CAR CERTIFIED AUTISM RESOURCE CAR25540000 12/09/2026

Framery holds the Certified Autism Resource (CAR) designation, earned after an IBCCES expert board certified its product aligns with competency areas to meet the needs of individuals with autism.

Find the sustainability report and the smart pods' EPDs by scanning the QR code or go to framery.com.

framery

For the doers,
leaders, thinkers,
dreamers, creators,
teams, pioneers
and innovators.
**For people who
get it done.**

framery™

For more comprehensive details of intellectual property rights of Framery Oy, please see www.framery.com/en/ipr.
For more Framery® product information visit us online framery.com ©2026 Framery. All rights reserved.
All specifications subject to change without notice.